



Granular Bait (GB)

ANTHELL

"KEEP AWAY FROM CHILDREN»



Insecticide to combat anthills outdoors

Field of application	Target	Doses	Application time
Outdoor areas (paths, paving, patios, uncultivated lands, etc.)	Ant nest	Spread: 40 gr. Injection: 40 g/1 liter of water	Throughout duration of year

Guaranteed composition:

Chrysanthemum cinerariaefolium, extract from open and mature flowers of Tanacetum cinerariifolium obtained with hydrocarbon solvents 0,175 % w/w, Auxiliary substances 99,65 %

Method of application: Use 40 g. of product, spreading half the amount in and around the anthill in the area of its entrances and the rest around the anthill in a radius of about 25 cm. Alternatively, dissolve 40 g. of product in 1 liter of water and apply half the amount in and around the anthill in the area of its entrances and the rest around the anthill in a radius of about 25cm.

For best results, apply the solution in the morning or evening when the ants are in their nest. If the ants reappear, repeat the application.

Time stability of preparation: In a cool, dry and well-ventilated place at a temperature <25°C, in its original closed packaging, it remains stable for two (2) years from the date of manufacture.

Sales outlets: Not defined.



PACKAGES:
100gr / 250gr / 500gr

THE INFORMATION WRITTEN IN THIS FORM HAS AN INFORMATIONAL CHARACTER AND DOES NOT SUBSTITUTE IN ANY CIRCUMSTANCES.
PLANT PROTECTION PRODUCTS ARE INTENDED FOR USE BY PROFESSIONAL USERS.
INSTRUCTIONS FOR USE AND PRECAUTIONS, WRITTEN ON THE LABEL MUST BE OBSERVED.
FOR MORE INFORMATION CONTACT THE TECHNICAL DEPARTMENT OF OUR COMPANY OR CONSULT THE LOCAL AGRONOMISTS.

NitroFarm SA is certified with EN ISO 9001:2015 Quality Management System and EN ISO 14001:2015 Environmental Management System

147

06/2023



www.nitrofarm.gr



info@nitrofarm.gr



Free-phone: 800 11 820 820
+30 2310 553354-7,



Industrial Area of Sindos, SQ20,
B35-55, 57022, Thessaloniki

NitroFarm

— since 1976 —