



PACKAGE: 5Kg

5-50-30 (w/v) • 2,85-28,25-17 (w/w)

GREEN LIFE GEL

PFC: PFC 1(C)(I)(b)ii: COMPOUND LIQUID INORGANIC MACRONUTRIENT FERTILIZER.

Ingredients: Potassium nitrate¹ (Cas No. 7757-79-1), Monoammonium phosphate (MAP)¹ (Cas No. 7722-76-1), Phosphoric acid¹ (CAS No. 7664-38-2), Potassium sulfate¹ (Cas No. 7778-80-5).

¹CMC1: VIRGIN SUBSTANCES AND MIXTURES.

Contains:

Total Nitrogen (N):

w/w	w/v
2,85%	5,0%

Nitrate (NO₃):

1,7%	3,0%
------	------

Ammoniacal (NH₄⁺):

1,15%	2,0%
-------	------

Total phosphorus pentoxide (P₂O₅):

28,25%	50,0%
--------	-------

Water-soluble phosphorus pentoxide (P₂O₅):

28,25%	50,0%
--------	-------

Potassium oxide (K₂O) water-soluble:

17,0%	30,0%
-------	-------

pH (1/100): 2,0 - 3,0

Density g/cm³: 1,75 - 1,8

Electrical conductivity mS (1/1000): 1,5

Application method: Fertigation and Foliar.

General information - Functions: ● Fertilizer in paste form with a high content of phosphorus and potassium which is highly soluble in water. ● High acidity to reduce alkalinity and release nutrients from previous applications. ● Chemical mixture, 100% homogeneous. ● Improves the flowering stage and the size, quality and quantity of fruits. ● Reduces the development of algae and calcium aggregates in the drippers.

Use only in case of recognized need. Do not exceed the application dosage.

FOR PROFESSIONAL USE ONLY.

Contact the company for more specific recommendations.

Compatibility: Compatible with fertilizers. However, a test is recommended before final application.

Precautions: ● Reclose partially used containers. ● Dispose of empty packaging materials in accordance with applicable regulations.

POISON CENTER TEL: 210-7793777

Recommended storage conditions: ● Store away from direct sunlight in dry and ventilated areas. ● Avoid frequent temperature fluctuations during storage. ● Keep partially used packages tightly closed. ● Keep out of reach of children. ● Dispose of empty packages in accordance with applicable legislation.

**The physical form of the product may change if stored below 7°C, but this does not affect its effectiveness or chemical properties. Its normal form will be restored when exposed to normal temperatures between 7 and 30°C.

Instructions for intended use and dosage:

Cultivation - Application rate (hydration - foliar) - Application time:

Vegetables (Greenhouse & Field): Fertigation with 30-60 kg / ha (greenhouse) & 10-12 kg / ha (field). Foliar with 150-250 gr. / 100 liters of water. In the stages of flowering and fruit development.

Large-scale crops: Fertigation and Foliar with 10-12 kg / ha. In the 1st month and during the head emergence stage.

Livestock plants: Fertigation and Foliar with 10-12 kg / ha. In the 1st month.

Fruit trees: Fertigation with 12-15 kg / ha. Foliar with 150-250 g. / 100 liters of water. In the stages of flowering and fruit development.

Ornamental plants: Fertigation with 10-12 kg / ha. Foliar with 150-250 g. / 100 liters of water. In case of need.

Nurseries: Fertigation and Foliar with 100-150 g. / 100 liters of water. In the hardening stage.

**It is not a
plant protection
product**



NitroFarm SA is certified with EN ISO 9001:2015 Quality Management System and EN ISO 14001:2015 Environmental Management System



www.nitrofarm.gr



info@nitrofarm.gr



**Free-phone: 800 11 820 820
+30 2310 553354-7,**



**Industrial Area of Sindos, SQ20,
B35-55, 57022, Thessaloniki**

NitroFarm
— since 1976 —